

# CS152: Programming Languages

## Lecture 16 — Recursive Types

Dan Grossman  
Spring 2011

### Where are we

- ▶ System F gave us type abstraction
  - ▶ code reuse
  - ▶ strong abstractions
  - ▶ different from real languages (like ML), but the right foundation
- ▶ This lecture: Recursive Types (different use of type variables)
  - ▶ For building unbounded data structures
  - ▶ Turing-completeness without a fix primitive
- ▶ Next lecture: Existential types (dual to universal types)
  - ▶ First-class abstract types
  - ▶ Closely related to closures and objects
- ▶ Next lecture: Type-and-effect systems

### Recursive Types

We could add list types ( $\text{list}(\tau)$ ) and primitives ( $[], ::, \text{match}$ ), but we want user-defined recursive types

Intuition:

```
type intlist = Empty | Cons int * intlist
```

Which is roughly:

```
type intlist = unit + (int * intlist)
```

- ▶ Seems like a named type is unavoidable
  - ▶ But that's what we thought with `let rec` and we used `fix`
- ▶ Analogously to `fix  $\lambda x. e$` , we'll introduce  $\mu\alpha.\tau$ 
  - ▶ Each  $\alpha$  "stands for" entire  $\mu\alpha.\tau$

### Mighty $\mu$

In  $\tau$ , type variable  $\alpha$  stands for  $\mu\alpha.\tau$ , bound by  $\mu$

Examples (of many possible encodings):

- ▶ int list (finite or infinite):  $\mu\alpha.\text{unit} + (\text{int} * \alpha)$
- ▶ int list (infinite "stream"):  $\mu\alpha.\text{int} * \alpha$ 
  - ▶ Need laziness (thunking) or mutation to build such a thing
  - ▶ Under CBV, can build values of type  $\mu\alpha.\text{unit} \rightarrow (\text{int} * \alpha)$
- ▶ int list list:  $\mu\alpha.\text{unit} + ((\mu\beta.\text{unit} + (\text{int} * \beta)) * \alpha)$

Examples where type variables appear multiple times:

- ▶ int tree (data at nodes):  $\mu\alpha.\text{unit} + (\text{int} * \alpha * \alpha)$
- ▶ int tree (data at leaves):  $\mu\alpha.\text{int} + (\alpha * \alpha)$

### Using $\mu$ types

How do we build and use int lists ( $\mu\alpha.\text{unit} + (\text{int} * \alpha)$ )?

We would like:

- ▶ empty list =  $\mathbf{A}()$   
Has type:  $\mu\alpha.\text{unit} + (\text{int} * \alpha)$
- ▶ cons =  $\lambda x:\text{int}. \lambda y:(\mu\alpha.\text{unit} + (\text{int} * \alpha)). \mathbf{B}((x, y))$   
Has type:  
 $\text{int} \rightarrow (\mu\alpha.\text{unit} + (\text{int} * \alpha)) \rightarrow (\mu\alpha.\text{unit} + (\text{int} * \alpha))$
- ▶ head =  
 $\lambda x:(\mu\alpha.\text{unit} + (\text{int} * \alpha)). \text{match } x \text{ with } \mathbf{A}.. \mathbf{A}() \mid \mathbf{B}y. \mathbf{B}(y.1)$   
Has type:  $(\mu\alpha.\text{unit} + (\text{int} * \alpha)) \rightarrow (\text{unit} + \text{int})$
- ▶ tail =  
 $\lambda x:(\mu\alpha.\text{unit} + (\text{int} * \alpha)). \text{match } x \text{ with } \mathbf{A}.. \mathbf{A}() \mid \mathbf{B}y. \mathbf{B}(y.2)$   
Has type:  
 $(\mu\alpha.\text{unit} + (\text{int} * \alpha)) \rightarrow (\text{unit} + \mu\alpha.\text{unit} + (\text{int} * \alpha))$

But our typing rules allow none of this (yet)

### Using $\mu$ types (continued)

For empty list =  $\mathbf{A}()$ , one typing rule applies:

$$\frac{\Delta; \Gamma \vdash e : \tau_1 \quad \Delta \vdash \tau_2}{\Delta; \Gamma \vdash \mathbf{A}(e) : \tau_1 + \tau_2}$$

So we could show

$\Delta; \Gamma \vdash \mathbf{A}() : \text{unit} + (\text{int} * (\mu\alpha.\text{unit} + (\text{int} * \alpha)))$   
(since  $\text{FTV}(\text{int} * \mu\alpha.\text{unit} + (\text{int} * \alpha)) = \emptyset \subseteq \Delta$ )

But we want  $\mu\alpha.\text{unit} + (\text{int} * \alpha)$

Notice:  $\text{unit} + (\text{int} * (\mu\alpha.\text{unit} + (\text{int} * \alpha)))$  is  
 $(\text{unit} + (\text{int} * \alpha))[(\mu\alpha.\text{unit} + (\text{int} * \alpha))/\alpha]$

The key: Subsumption — recursive types are equal to their "unrolling"

## Return of subtyping

Can use *subsumption* and these subtyping rules:

$$\frac{\text{ROLL}}{\tau[(\mu\alpha.\tau)/\alpha] \leq \mu\alpha.\tau} \quad \frac{\text{UNROLL}}{\mu\alpha.\tau \leq \tau[(\mu\alpha.\tau)/\alpha]}$$

Subtyping can “roll” or “unroll” a recursive type

Can now give empty-list, cons, and head the types we want:  
Constructors use roll, destructors use unroll

Notice how little we did: One new form of type ( $\mu\alpha.\tau$ ) and two new subtyping rules

(Skipping: Depth subtyping on recursive types is very interesting)

## Metatheory

Despite additions being minimal, must reconsider how recursive types change STLC and System F:

- ▶ Erasure (no run-time effect): unchanged
- ▶ Termination: changed!
  - ▶  $(\lambda x:\mu\alpha.\alpha \rightarrow \alpha. x x)(\lambda x:\mu\alpha.\alpha \rightarrow \alpha. x x)$
  - ▶ In fact, we’re now Turing-complete without fix (actually, can type-check every closed  $\lambda$  term)
- ▶ Safety: still safe, but Canonical Forms harder
- ▶ Inference: Shockingly efficient for “STLC plus  $\mu$ ” (A great contribution of PL theory with applications in OO and XML-processing languages)

## Syntax-directed $\mu$ types

Recursive types via subsumption “seems magical”

Instead, we can make programmers tell the type-checker where/how to roll and unroll

“Iso-recursive” types: remove subtyping and add expressions:

$$\begin{array}{l} \tau ::= \dots \mid \mu\alpha.\tau \\ e ::= \dots \mid \text{roll}_{\mu\alpha.\tau} e \mid \text{unroll } e \\ v ::= \dots \mid \text{roll}_{\mu\alpha.\tau} v \end{array}$$

$$\frac{e \rightarrow e'}{\text{roll}_{\mu\alpha.\tau} e \rightarrow \text{roll}_{\mu\alpha.\tau} e'} \quad \frac{e \rightarrow e'}{\text{unroll } e \rightarrow \text{unroll } e'}$$

$$\frac{}{\text{unroll } (\text{roll}_{\mu\alpha.\tau} v) \rightarrow v}$$

$$\frac{\Delta; \Gamma \vdash e : \tau[(\mu\alpha.\tau)/\alpha]}{\Delta; \Gamma \vdash \text{roll}_{\mu\alpha.\tau} e : \mu\alpha.\tau} \quad \frac{\Delta; \Gamma \vdash e : \mu\alpha.\tau}{\Delta; \Gamma \vdash \text{unroll } e : \tau[(\mu\alpha.\tau)/\alpha]}$$

## Syntax-directed, continued

Type-checking is syntax-directed / No subtyping necessary

Canonical Forms, Preservation, and Progress are simpler

This is an example of a key trade-off in language design:

- ▶ Implicit typing can be impossible, difficult, or confusing
- ▶ Explicit coercions can be annoying and clutter language with no-ops
- ▶ Most languages do some of each

*Anything is decidable if you make the code producer give the implementation enough “hints” about the “proof”*

## ML datatypes revealed

How is  $\mu\alpha.\tau$  related to  
type  $t = \text{Foo of int} \mid \text{Bar of int} * t$

Constructor use is a “sum-injection” followed by an *implicit roll*

- ▶ So  $\text{Foo } e$  is really  $\text{roll}_t \text{ Foo}(e)$
- ▶ That is,  $\text{Foo } e$  has type  $t$  (the rolled type)

A pattern-match has an *implicit unroll*

- ▶ So  $\text{match } e \text{ with} \dots$  is really  $\text{match unroll } e \text{ with} \dots$

This “trick” works because different recursive types use different tags – so the type-checker knows *which* type to roll to