

Genome 559
Introduction to Statistical and
Computational Genomics
Winter 2010

Lecture 14a:
BLAST
Larry Ruzzo

1 minute responses

Pacing was: (a) A little slow (1), (b) great (3) [maybe we don't need semesters after all!], or (c) I was lost/equation-dense (4) (but, I'll try harder to keep up with reading)

Paper slides for note-taking *really* help. *Agreed*

More time for problems helped. *Hopefully again today.*

Is revised hw schedule on web? *Some.*

Liked it, but need some practice problems for it to sink in. *See hw5!*

Fuzzy on purpose of relative entropy; why does it matter. *If motif distribution is like background (low entropy), WMM prediction will be error-prone. Similarly, columns of low entropy may only add noise; at edges, especially, maybe delete them.*

Didn't explain substring matches/match objects (2) *Today*

BLAST:

Basic Local Alignment Search Tool

Altschul, Gish, Miller, Myers, Lipman, J Mol Biol 1990

The most widely used comp bio tool

Which is better: long mediocre match or a few nearby, short, strong matches with the same total score?

score-wise, exactly equivalent

biologically, later may be more interesting

if must miss some, rather miss the former (?)

BLAST is a *heuristic* emphasizing the later

speed/sensitivity tradeoff: BLAST
may miss weak matches, but
gains greatly in speed

Heuristic: A method proceeding towards a solution by trial and error, intuition or loosely defined rules. Cf. Algorithm; Smith-Waterman, etc.

A Protein Structure: (Dihydrofolate Reductase)



BLAST: What

Input:

a query sequence (say, 50-300 residues)

a data base to search for other sequences similar to the query
(say, 10^6 - 10^9 residues)

a score matrix $\sigma(r,s)$, giving cost of substituting r for s (&
perhaps gap costs)

various score thresholds & tuning parameters

Output:

“all” matches in data base above threshold

“E-value” of each

BLAST: How

Idea: emphasize parts of data base near a good match to some short subword of the query

Break query into overlapping words w_i of small fixed length (e.g. 3 aa or 11 nt)


For each w_i , find (empirically, ~ 50) “neighboring” words v_{ij} with score $\sigma(w_i, v_{ij}) > \text{thresh}_1$

Look up each v_{ij} in database (via prebuilt index) -- i.e., exact match to short, high-scoring word

Extend each such “seed match” (bidirectional)

Report those scoring $> \text{thresh}_2$, calculate E-values

BLAST: Example



BLOSUM 62

	A	R	N	D	C	Q	E	G	H	I	L	K	M	F	P	S	T	W	Y	V
A	4	-1	-2	-2	0	-1	-1	0	-2	-1	-1	-1	-2	-1	1	0	-3	-2	0	
R	-1	5	0	-2	-3	1	0	-2	0	-3	-2	2	-1	-3	-2	-1	-1	-3	-2	-3
N	-2	0	6	1	-3	0	0	0	1	-3	-3	0	-2	-3	-2	1	0	-4	-2	-3
D	-2	-2	1	6	-3	0	2	-1	-1	-3	-4	-1	-3	-3	-1	0	-1	-4	-3	-3
C	0	-3	-3	-3	9	-3	-4	-3	-3	-1	-1	-3	-1	-2	-3	-1	-1	-2	-2	-1
Q	-1	1	0	0	-3	5	2	-2	0	-3	-2	1	0	-3	-1	0	-1	-2	-1	-2
E	-1	0	0	2	-4	2	5	-2	0	-3	-3	1	-2	-3	-1	0	-1	-3	-2	-2
G	0	-2	0	-1	-3	-2	-2	6	-2	-4	-4	-2	-3	-3	-2	0	-2	-2	-3	-3
H	-2	0	1	-1	-3	0	0	-2	8	-3	-3	-1	-2	-1	-2	-1	-2	-2	2	-3
I	-1	-3	-3	-3	-1	-3	-3	-4	-3	4	2	-3	1	0	-3	-2	-1	-3	-1	3
L	-1	-2	-3	-4	-1	-2	-3	-4	-3	2	4	-2	2	0	-3	-2	-1	-2	-1	1
K	-1	2	0	-1	-3	1	1	-2	-1	-3	-2	5	-1	-3	-1	0	-1	-3	-2	-2
M	-1	-1	-2	-3	-1	0	-2	-3	-2	1	2	-1	5	0	-2	-1	-1	-1	-1	1
F	-2	-3	-3	-3	-2	-3	-3	-3	-1	0	0	-3	0	6	-4	-2	-2	1	3	-1
P	-1	-2	-2	-1	-3	-1	-1	-2	-2	-3	-3	-1	-2	-4	7	-1	-1	-4	-3	-2
S	1	-1	1	0	-1	0	0	0	-1	-2	-2	0	-1	-2	-1	4	1	-3	-2	-2
T	0	-1	0	-1	-1	-1	-1	-2	-2	-1	-1	-1	-1	-2	-1	1	5	-2	-2	0
W	-3	-3	-4	-4	-2	-2	-3	-2	-2	-3	-2	-3	-1	1	-4	-3	-2	11	2	-3
Y	-2	-2	-2	-3	-2	-1	-2	-3	2	-1	-1	-2	-1	3	-3	-2	-2	2	7	-1
V	0	-3	-3	-3	-1	-2	-2	-3	-3	3	1	-2	1	-1	-2	-2	0	-3	-1	4

BLAST Refinements

“Two hit heuristic” – need 2 nearby, nonoverlapping, gapless hits before trying to extend either

“Gapped BLAST” – run heuristic version of Smith-Waterman, bi-directional from hit, until score drops by fixed amount below max

PSI-BLAST – For proteins, iterated search, using “weight matrix” pattern from initial pass to find weaker matches in subsequent passes (PSI=pos specific iter)

Many others

A Likelihood Ratio

Defn: two proteins are *homologous* if they are alike because of shared ancestry; similarity by descent

Suppose among proteins overall, residue x occurs with frequency p_x
Then in a random ungapped alignment of 2 random proteins, you would expect to find x aligned to y with prob $p_x p_y$

Suppose among *homologs*, x & y align with prob p_{xy}

Are seqs X & Y homologous? Which is more likely, that the alignment reflects chance or homology? Use a *likelihood ratio test*.

$$\sum_i \log \frac{p_{x_i y_i}}{p_{x_i} p_{y_i}}$$

E.g., BLOSUM62: trusted “homologues” = BLOCKS w/ $\geq 62\%$ identity.

Non-*ad hoc* Alignment Scores

Take alignments of homologs and look at frequency of x-y alignments vs freq of x, y overall

BLOSUM approach

large collection of trusted alignments
(the BLOCKS DB)

subsetting by similarity, e.g.
BLOSUM62 => 62% identity

$$\frac{1}{\lambda} \log_2 \frac{P_{x y}}{P_x P_y}$$

<http://blocks.fhcrc.org/blocks-bin/getblock.pl?IPB013598>

ad hoc Alignment Scores?

Make up any scoring matrix you like

Somewhat surprisingly, under pretty general assumptions^{**}, it is *equivalent* to the scores constructed as above from some set of probabilities p_{xy} , so you might as well understand what they are

NCBI-BLASTN: +1/-2 \leftrightarrow 95% identity

WU-BLASTN: +5/-4 \leftrightarrow 66% identity

^{**} e.g., average scores should be negative, but you probably want that anyway, otherwise local alignments turn into global ones, and some score must be > 0 , else best match is empty

Summary

BLAST is a highly successful search/alignment heuristic. It looks for alignments anchored by short, strong, ungapped “seed” alignments

Strengths:

Speed, E-values, well-supported implementation & web server

Weaknesses:

Heuristic search can miss weaker matches