


Self Supervised Learning

Mehmet Saygin Seyfioglu
11/13/23

What fuels the recent AI boom?

What fuels the recent AI boom?

DATA



What is the largest human-labeled dataset to date?

Ideas?

What is the largest human-made dataset to date?

How Large?



Russakovsky, Olga, et al. "Imagenet large scale visual recognition challenge." *International journal of computer vision* 115 (2015): 211-252.

What is the largest human-made dataset to date?

14M images and labels




How Large are the Datasets for training Foundational Models (Like CLIP, Stable Diffusion, GPT etc.)

Any ideas?

How Large are the Datasets for training Foundational Models (Like CLIP, Stable Diffusion, GPT etc.)

LAION 5B



Impossible to rely on Human labels at this scale.

Self Supervised Learning

What are these animals? Can you name them?



Self Supervised Learning

- So SSL methods are generally encoding the similarity, or the difference of entities without specifically knowing what those entities are.

Self Supervised Learning

- So SSL methods are generally encoding the similarity, or the difference of entities without specifically knowing what those entities are.
- Recent trend is to train a “Foundational Model” with a huge dataset in a self-supervised manner, which aims to learn some underlying generalizable facts then fine-tune this model for certain “downstream tasks”.

Self Supervised Learning

- So SSL methods are generally encoding the similarity, or the difference of entities without specifically knowing what those entities are.
- Recent trend is to train a “Foundational Model” with a huge dataset in a self-supervised manner, which aims to learn some underlying generalizable facts then fine-tune this model for certain “downstream tasks”.

The trick is to create some pretext task, which generates some pseudo labels from unlabeled data. How?

SSL for Natural Language Processing (NLP)

- How can we implement SSL techniques in Natural Language Processing?

```
0    worldcom ex-boss launches defence lawyers defe...
1    german business confidence slides german busin...
2    bbc poll indicates economic gloom citizens in ...
3    lifestyle governs mobile choice faster bett...
4    enron bosses in $168m payout eighteen former e...
5    howard truanted to play snooker conservative...
6    wales silent on grand slam talk rhys williams ...
7    french honour for director parker british film...
8    car giant hit by mercedes slump a slump in pro...
9    fockers fuel festive film chart comedy meet th...
Name: Text, dtype: object
```

SSL for Natural Language Processing (NLP)

- How can we implement SSL techniques in Natural Language Processing?
 - Context (align words that appear in similar context)
 - Any issues with this?

SSL for Natural Language Processing (NLP)

- How can we implement SSL techniques in Natural Language Processing?
 - Context (align words that appear in similar context)
 - Any issues with this?
 - Masked Language Modeling (Predict the masked word using its context)
 - Predict Next word

Word2Vec

Use a shallow neural network to learn word embeddings

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(c|w; \theta)$$

Let w denote the corpus of words and let c be the context of words for a given data set D . The word2vec model is trying to maximize the conditional probability $p(c|w)$ by optimizing its parameters θ .

How do we solve this objective?

Word2Vec Skip-Gram

Assume we encoded each word in the corpus into a one hot vector.

The cat sat on the mat

The: [0 1 0 0 0 0]

cat: [0 0 1 0 0 0]

sat: [0 0 0 1 0 0]

on: [0 0 0 0 1 0]

the: [0 0 0 0 0 1]

mat: [0 0 0 0 0 0 1]

Word2Vec Skip-Gram

Given one hot embedded word vectors, we can then try to do negative sampling to train a shallow network using softmax function:


$$p(c|w; \theta) = \frac{e^{v_c \cdot v_w}}{\sum_{(c' \in C)} e^{v_{c'} \cdot v_w}}$$

The nominator here is a word w and its context c . On the denominator though, we randomly sample context from the dataset. This is called **Negative Sampling**.

So we didn't label the dataset at all, but utilizing the context (word proximity)

Word2Vec

Turns out, if you do this with a large enough dataset, you can learn vector representation of words which can be used in vector algebra!



This was a wake up call for the field. Tom Mikolov came up with the word2vec algorithm at Google during 2013. What happened after then?

What happened between 2013-2019?

If word2vec is great, why the research on SSL got stalled (!) in NLP?

What happened between 2013-2019?

If word2vec is great, why the research on SSL got stalled (!) in NLP?

1. Folks mainly relied on LSTMs (recurrent nets) to learn from large datasets, and LSTMs does not have a capacity to encode long range dependencies.
2. We lacked data.



What happened 2013-2019?

If word2vec is great, why the research on SSL got stalled (!) in NLP?









1. Folks mainly relied on LSTMs (recurrent nets) to learn from large datasets, and LSTMs does not have a capacity to encode long range dependencies.
2. We lacked data.

What architecture changed it?

Transformer




Transformer

Input	Thinking	Machines
Embedding	x_1 	x_2 
Queries	q_1 	q_2 
Keys	k_1 	k_2 
Values	v_1 	v_2 
Score	$q_1 \cdot k_1 = 112$	$q_2 \cdot k_2 = 96$
Divide by 8 ($\sqrt{d_k}$)	14	12
Softmax	0.88	0.12

BERT

Encoder-only architecture. 340 million parameters.




Devlin, Jacob, et al. "Bert: Pre-training of deep bidirectional transformers for language understanding." *arXiv preprint arXiv:1810.04805* (2018)

Taken from <https://www.turing.com/kb/how-bert-rlp-optimization-model-works>

T5

Encoder-Decoder model

Shuffling, Masked Language Modeling. 3b parameters



GPT

Decoder only architecture

Trained for the next word prediction (Turns out, this scales well with more data and model size, thus we have the modern GPTs now)

GPT2 - 1.75b parameters

...

GPT4 - 275b parameters (estimation)

SSL for Vision

How can we implement SSL techniques in Vision?

SSL for Vision





Image Inpainting Data Generation



Data Generation for Geometric Transformation Recognition



SimCLR




Figure taken from
<https://sh-tsang.medium.com/review-simclr-a-simple-framework-for-contrastive-learning-of-visual-representations-5de42ba0bc66>


SimCLR (cont'd)

Augmented Images in Batch



$$L_{NCE} = - \sum_{i=1}^n \log \frac{e^{\theta(t_1^i, t_2^i)}}{\frac{1}{b} \sum_{j=1}^b e^{\theta(t_1^i, t_2^j)}}$$

SimCLR (cont'd)



Augmented Images in Batch



$$L_{NCE} = - \sum_{i=1}^n \log \frac{e^{\theta(t_1^i, t_2^i)}}{\frac{1}{b} \sum_{j=1}^b e^{\theta(t_1^i, t_2^j)}}$$

$$l(\text{cat}, \text{cat}) = -\log \left(\frac{e^{\text{similarity}(\text{cat}, \text{cat})}}{e^{\text{similarity}(\text{cat}, \text{cat})} + e^{\text{similarity}(\text{cat}, \text{elephant})} + e^{\text{similarity}(\text{cat}, \text{elephant})}} \right)$$

SimCLR (cont'd)

Augmented Images in Batch




Pair 1



Pair 2

$$L_{NCE} = - \sum_{i=1}^n \log \frac{e^{\theta(t_1^i, t_2^i)}}{\frac{1}{b} \sum_{j=1}^b e^{\theta(t_1^i, t_2^j)}}$$

$$I(\text{cat}_1, \text{cat}_2) = -\log \left(\frac{e^{\text{similarity}(\text{cat}_1, \text{cat}_2)}}{e^{\text{similarity}(\text{cat}_1, \text{cat}_2)} + e^{\text{similarity}(\text{cat}_1, \text{elephant}_1)} + e^{\text{similarity}(\text{cat}_1, \text{elephant}_2)}} \right)$$




The importance of Augmentations in SimCLR

What augmentations to use depends on the downstream task, and the dataset itself.

Let's say you want to classify a data of apples of different colors.


Would you use color augmentation in this task?

Masked Autoencoders




CLIP

(1) Contrastive pre-training



(2) Create dataset classifier from label text



(3) Use for zero-shot prediction