Verdi: A Framework for Implementing and Formally Verifying Distributed Systems



James R. Wilcox, Doug Woos, Pavel Panchekha,
Zach Tatlock, Xi Wang, Michael D. Ernst, Thomas Anderson

Challenges

Challenges

Distributed systems run in unreliable environments



Challenges

Distributed systems run in unreliable environments



Many types of failure can occur



Challenges

Distributed systems run in unreliable environments



Many types of failure can occur



Fault-tolerance mechanisms are challenging to implement correctly

Challenges

Distributed systems run in unreliable environments

Many types of failure can occur

Fault-tolerance mechanisms are challenging to implement correctly

Challenges

Distributed systems run in unreliable environments

Many types of failure can occur

Fault-tolerance mechanisms are challenging to implement correctly

Contributions

Formalize network as operational semantics

Build semantics for a variety of fault models

Verify fault-tolerance as transformation between semantics

Verdi Workflow

Build, verify system
in simple semantics



Verdi Workflow

Build, verify system
in simple semantics



Apply verified system transformer

Verdi Workflow

Build, verify system
in simple semantics



Apply verified system transformer

End-to-end correctness
by composition



Contributions

Formalize network as operational semantics

Build semantics for a variety of fault models

Verify fault-tolerance as transformation between semantics

Contributions

Formalize network as operational semantics

Build semantics for a variety of fault models

Verify fault-tolerance as transformation between semantics

General Approach

Find environments in your problem domain

Formalize these environments as operational semantics

Verify layers as transformations between semantics

Verdi Successes

Applications

- *Key-value store*
- *Lock service*

Fault-tolerance mechanisms

- *Sequence numbering*
- *Retransmission*
- *Primary-backup replication*
- *Consensus-based replication linearizability*

Verdi Successes

Applications

- ☆ *Key-value store*
- *Lock service*

Fault-tolerance mechanisms

- *Sequence numbering*
- *Retransmission*
- *Primary-backup replication*
- ☆ *Consensus-based replication linearizability*

Important
data



Replicated for availability


Replicated
KV store
Replicated
KV store
Replicated
KV store


Crash
Reorder
Drop
Duplicate
Partition
...
Replicated KV store
Replicated KV store
Replicated KV store



Environment is unreliable

Crash
Reorder
Drop
Duplicate
Partition
...



Decades of research; still difficult to implement correctly

Implementations often have bugs



Bug-free Implementations

Bug-free Implementations

Bug-free Implementations

Several inspiring successes in formal verification

CompCert, seL4, Jitk, Bedrock, IronClad, Frenetic, Quark

Bug-free Implementations

Several inspiring successes in formal verification

CompCert, seL4, Jitk, Bedrock, IronClad, Frenetic, Quark

Goal: formally verify distributed system implementations



Formally Verify Distributed Implementations



Formally Verify Distributed Implementations



Separate independent system components

Formally Verify Distributed Implementations



Separate independent system components

Formally Verify Distributed Implementations



Separate independent system components

Verify application logic independently from fault tolerance

Formally Verify Distributed Implementations



Separate independent system components

Verify key-value store independently from consensus

Formally Verify Distributed Implementations

1. Verify application logic
2. Verify fault tolerance mechanism
3. Run the system!

Separate independent system components

Verify key-value store independently from consensus

1. Verify Application Logic



1. Verify Application Logic

Simple model,
prove "good map"



1. Verify Application Logic

Simple model,
prove "good map"



2. Verify Fault Tolerance Mechanism

Simple model,
prove "good map"



2. Verify Fault Tolerance Mechanism

Simple model,
prove "good map"



2. Verify Fault Tolerance Mechanism

Simple model,
prove "good map"



2. Verify Fault Tolerance Mechanism

Simple model,
prove "good map"



Apply verified system transformer,
prove "properties preserved"





2. Verify Fault Tolerance Mechanism

Simple model,
prove "good map"



Apply verified system transformer,
prove "properties preserved"



2. Verify Fault Tolerance Mechanism

Simple model,
prove "good map"



Apply verified system transformer,
prove "properties preserved"

End-to-end correctness
by composition



3. Run the System!



Extract to OCaml, link unverified shim

Run on real networks



Verifying application logic

Simple One-node Model



Simple One-node Model



Simple One-node Model



Simple One-node Model



Simple One-node Model



Trace: [Set “k” “v", Resp “k” “v”]

Simple One-node Model



Simple One-node Model



Simple One-node Model



$$H_{\mathrm{inp}}(\sigma,\ i)$$

Simple One-node Model



$$H_{\mathrm{inp}}(\sigma,\ i)$$

Simple One-node Model



$$H_{\mathrm{inp}}(\sigma,\ i)$$

Simple One-node Model



$$H_{\mathrm{inp}}(\sigma,\ i) = (\sigma',\ o)$$

Simple One-node Model



$$\frac{H_{\text{inp}}(\sigma,\ i) = (\sigma',\ o)}{(\sigma,\quad) \rightsquigarrow (\sigma',\qquad\qquad)}$$

Simple One-node Model



Trace: [$\boldsymbol{i}$, $\boldsymbol{o}$]

$$\frac{H_{\text{inp}}(\sigma,\ i) = (\sigma',\ o)}{(\sigma,\quad) \rightsquigarrow (\sigma',\qquad\qquad)}$$

Simple One-node Model



Trace: [i, o]

$$\frac{H_{\text{inp}}(\sigma,\ i) = (\sigma',\ o)}{(\sigma,\ T) \rightsquigarrow\ (\sigma',\qquad\qquad\qquad\qquad)}$$

Simple One-node Model



Trace: [i, o]

$$\frac{H_{\text{inp}}(\sigma,\ i) = (\sigma',\ o)}{(\sigma,\ T) \rightsquigarrow\ (\sigma',\ T \mathbin{++} \langle i,\ o \rangle)}$$

Simple One-node Model



Simple One-node Model



Spec: operations have expected behavior (good map)

Set, Get

Del, Get

Simple One-node Model



Spec: operations have expected behavior (good map)

Set, Get

Del, Get

Verify system against semantics by induction

Safety Property

Verifying Fault Tolerance

The Raft Transformer

Consensus provides a replicated state machine

Same inputs on each node

Calls into original system



The Raft Transfor

Consensus provides a replicated state machine

Same inputs on each node

Calls into original system



The Raft Transfor

Consensus
replicated s

Same inputs on each node

Calls into original system



The Raft Transformer

When input received:

- Add to log
- Send to other nodes

When op replicated:

- Apply to state machine
- Send output



The Raft Transformer

For KV store:

Ops are Get, Set, Del

State is dictionary



Raft Correctness

Correctly transforms systems

Preserves traces

Linearizability



Fault Model

Model global state

Model internal communication

Model failure



Fault Model: Global State



Fault Model: Global State

Machines have names



Fault Model: Global State

Machines have names

Σ maps name to state



Fault Model: Messages



Fault Model: Messages



Fault Model: Messages

Network

<1,2,"Vote?">
<1,3,"Vote?">



Fault Model: Messages



Fault Model: Messages



$$H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m)$$

Fault Model: Messages



$$H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m)$$

Fault Model: Messages



$$H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m)$$

Fault Model: Messages



$$H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m)$$

Fault Model: Messages



$$H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m)$$

Fault Model: Messages



$$H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m) = (\sigma',\ o,\ P')$$

Fault Model: Messages



$$\frac{H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m) = (\sigma',\ o,\ P') \qquad \Sigma' = \Sigma[dst \mapsto \sigma']}{}$$

Fault Model: Messages



$$\frac{H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m) = (\sigma',\ o,\ P') \qquad \Sigma' = \Sigma[dst \mapsto \sigma']}{(\{(src,\ dst,\ m)\} \uplus P,\ \Sigma,\ T)}$$

Fault Model: Messages



$$\frac{H_{\text{net}}(dst,\ \Sigma[dst],\ src,\ m) = (\sigma',\ o,\ P') \qquad \Sigma' = \Sigma[dst \mapsto \sigma']}{(\{(src,\ dst,\ m)\} \uplus P,\ \Sigma,\ T) \rightsquigarrow (P \uplus P',\ \Sigma',\ T \mathbin{++} \langle o \rangle)}$$

Fault Model: Failures



Fault Model: Failures

Message drop



Fault Model: Failures

Message drop

Message duplication



Fault Model: Failures

Message drop

Message duplication

Machine crash



Fault Model: Drop



Network

<1,2,"hi">

<1,3,"hi">

$$\frac{}{(\{p\} \uplus P,\ \Sigma,\ T) \rightsquigarrow \qquad (P,\ \Sigma,\ T)}$$

Fault Model: Drop





$$\frac{}{(\{p\} \uplus P,\ \Sigma,\ T) \rightsquigarrow \qquad (P,\ \Sigma,\ T)}$$

Fault Model: Drop



Network

<1,2,"hi">

<1,3,"hi">

$$(\{p\} \uplus P, \Sigma, T) \rightsquigarrow \qquad (P, \Sigma, T)$$

Toward Verifying Raft



General theory of linearizability

1k lines of implementation, 5k lines for linearizability

State machine safety: 30k lines

Most state invariants proved, some left to do

Verified System Transformers

Functions on systems

Transform systems between semantics

Maintain equivalent traces

Get correctness of transformed system for free

Verified System Transformers

Verified System Transformers



Verified System Transformers



Verified System Transformers



Verified System Transformers

Raft Consensus



Primary Backup



Seq # and Retrans



Ghost Variables





Running Verdi Programs

Running Verdi Programs

Coq extraction to Ocaml



Thin, unverified shim

Trusted compute base: shim, Coq, Ocaml, OS

Performance Evaluation



Compare with etcd, a similar open-source store

10% performance overhead

Mostly disk/network bound

etcd has had linearizability bugs

Previous Approaches

EventML [Schiper 2014]

Verified Paxos using the NuPRL proof assistant

MACE [Killian 2007]

Model checking distributed systems in C++

TLA+ [Lamport 2002]

Specification language and logic

Contributions

Formalize network as operational semantics

Build semantics for a variety of fault models

Verify fault-tolerance as transformation between semantics



Contributions

Formalize network as operational semantics

Build semantics for a variety of fault models

Verify fault-tolerance as transformation between semantics



http://verdi.uwplse.org

Contributions

Formalize network as operational semantics

Build semantics for a variety of fault models

Verify fault-tolerance as transformation between semantics



Thanks!

http://verdi.uwplse.org